NERO



DESCRIPTION

The NERO is a next generation fertilisation-irrigationmanagement computer. An upgrade from the OSCAR, it has kept the use logic while including additional functions.

It has a colour touch screen and an embedded website providing the best browsing and the possibility of monitoring your installation remotely. Compatible with SENTINELLE, the NERO is perfectly adapted to new or refurbishment projects. Its USB port can be used for easy software updates (new version, added function).

In its superprogrammer or fertilisation computer configuration, the NERO can also be directly installed on your fertilisation frames.

SPECIFICATIONS

- From 14 to 94 solenoid valves
- Management of up to 4 fertilisation stations (2 standard + 2 optional)
- 0-10V management of 8 static outputs for injection lines or 4 dosing pumps
- Up to 40 irrigation groups
- Station status display,
- Easy access to menus and settings using icons
- Value entry on a touch-sensitive numeric keypad
- Backups and restores of settings using the embedded website
- Software and configuration upgrades using USB thumb drive
- Virtual manual mode: integration of AUTO/0/ MANUAL switches for solenoid valves on the screen



NERO

SPECIFICATIONS

- From 14 to 94 solenoid valves
- Management of up to 4 fertilisation stations (2 standard + 2 optional)
- 0-10V management of 8 static outputs for injection lines or 4 dosing pumps
- Up to 40 irrigation groups
- Station status display,
- · Easy access to menus and settings using icons
- Value entry on a touch-sensitive numeric keypad
- Backups and restores of settings using the embedded website
- Software and configuration upgrades using USB thumb drive
- Virtual manual mode: integration of AUTO/0/MANUAL switches for solenoid valves on the screen

FUNCTIONS

- Manual start-up of a group
- Independent time per valve
- Valve time setting to the second (Simple mode)
- Sequential programming
- Filling, irrigation and rinsing step (Expert mode)

- Group start-up modes:
 - Set time
 - Cyclical
 - Calendar
 - Solar meter
 - Dry contact
 - Analogue
 - Safety



NERO

REMOTE ACCESS

$\begin{array}{c} & \leftarrow & \leftarrow & \bigcirc & \bigcirc & \bigcirc & \textcircled{2} & 192.168.1.127 \\ \hline & & & & & & & & & \\ \hline & & & & & & &$	🔆 Q. Rechercher	- • ×
	rchivages Système Déconnexion	

	rvisior	า						
🚧 - NERO @6 - @6 - Nero - Statistiques des groupes							_	
31/01/2023								>
Groupe Temps Volume (I) EC (ms) PH	HFX	CYC	CAL	СТС	ANA	SOL	MAN	SEC ^
Groupe 1 13:20:00	3	5	0	0	0	0	0	0
Groupe 2								
Groupe 3								
Groupe 4								
Groupe 5								
Groupe 6								
Groupe 7								
Groupe 8								
Groupe 9								
Groupe 10								
Groupe 11								~
2							x∎	×

